

October 21, 2021

Mr. Dominick DeNaples, Site Manager

Keystone Sanitary Landfill, Inc. via email: <a href="mailto:dominick@kslco.com">dominick@kslco.com</a>

Re: Acceptance Letter

Keystone Sanitary Landfill, Inc.

Minor Permit Modification – Leachate Management System RO Chiller System

Application# 101247-A211

APS ID# 1049723, AUTH ID# 1372933

Dunmore and Throop Boroughs, Lackawanna County

Dear Mr. DeNaples:

The Department of Environmental Protection (DEP) has reviewed the above referenced application for completeness. The completeness review is the first step in a series of reviews conducted by DEP.

DEP has determined that the application package contains sufficient detail to enable DEP to conduct the technical review and has been accepted for that purpose.

This is not a final action by DEP on this application. The completeness review is the first in a series of reviews conducted by DEP. The application will now move to the technical review stage of the permit review process. To follow your application through the review process, please visit *eFACTS* on the Web at: http://www.ahs2.dep.state.pa.us/eFactsWeb/default.aspx.

Pursuant to the Permit Review Process and Permit Decision Guarantee Policy, this application now qualifies for the Permit Decision Guarantee. DEP's guarantee timeframe for this particular application is 143 business days.

I trust that you find this information helpful in understanding the permit review process. If you have additional questions about your application, please contact Sam Warmate at <a href="mailto:nswarmate@pa.gov">nswarmate@pa.gov</a> and refer to Application No. 101247-A211, APS No. 1049723, Authorization No. 1372933.

Sincerely,

ErikaG Bloxham

Erika G. Bloxham Facilities Specialist Waste Management Program

cc: Dunmore Borough (via email: Vito.Ruggiero@DunmorePa.gov)

Throop Borough (via email: lcimini@throopboro.com)